

```

<?xml version="1.0" encoding="UTF-8"?>
<model xmlns="http://www.opengroup.org/xsd/archimate/3.0/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.opengroup.org/xsd/archimate/3.0/
http://www.opengroup.org/xsd/archimate/3.1/archimate3_Diagram.xsd"
  identifier="id-0f71a45113944ac79aaf6a360f74e411">
  <name xml:lang="fr">Stakeholder-Driver-XML-SANS-STYLE-2</name>
  <elements>
    <element identifier="Board-id" xsi:type="Stakeholder">
      <name xml:lang="fr">Board</name>
    </element>
    <element identifier="Customer-id" xsi:type="Stakeholder">
      <name xml:lang="fr">Customer</name>
    </element>
    <element identifier="SalesTarget-id" xsi:type="Driver">
      <name xml:lang="fr">Sales Target</name>
    </element>
    <element identifier="StakeHolderSatisfaction-id" xsi:type="Driver">
      <name xml:lang="fr">Stakeholder Satisfaction</name>
    </element>
    <element identifier="CustomerSatisfaction-id" xsi:type="Driver">
      <name xml:lang="fr">Customer Satisfaction</name>
    </element>
    <element identifier="ProductPortfolio-id" xsi:type="Driver">
      <name xml:lang="fr">Product Portfolio</name>
    </element>
    <element identifier="Price-id" xsi:type="Driver">
      <name xml:lang="fr">Price</name>
    </element>
    <element identifier="Profitability-id" xsi:type="Driver">
      <name xml:lang="fr">Profitability</name>
    </element>
  </elements>
  <relationships>
    <relationship identifier="rel1" source="Board-id" target="SalesTarget-id"
xsi:type="Association" />
    <relationship identifier="rel2" source="Board-id" target="StakeHolderSatisfaction-id"
xsi:type="Association" />
    <relationship identifier="rel3" source="Board-id" target="CustomerSatisfaction-id"
xsi:type="Association" />
    <relationship identifier="rel4" source="Customer-id" target="CustomerSatisfaction-id"
xsi:type="Association" />
    <relationship identifier="rel5" source="Customer-id" target="ProductPortfolio-id"
xsi:type="Association" />
    <relationship identifier="rel6" source="Customer-id" target="Price-id"
xsi:type="Association" />
    <relationship identifier="rel7" source="StakeHolderSatisfaction-id"
target="Profitability-id" xsi:type="Aggregation" />

```

```
</relationships>
<views>
  <diagrams>
    <view identifier="id-8138f82ff86346cabe3ba9548de8b003" xsi:type="Diagram">
      <name xml:lang="fr">Stakeholder-Driver-XML-View</name>
      <node identifier="node1" elementRef="Board-id" xsi:type="Element" x="216" y="48"
w="120" h="55">
        </node>
        <node identifier="node2" elementRef="Customer-id" xsi:type="Element" x="624"
y="48" w="120" h="55">
          </node>
          <node identifier="node3" elementRef="SalesTarget-id" xsi:type="Element" x="60"
y="132" w="120" h="55">
            </node>
            <node identifier="node4" elementRef="StakeHolderSatisfaction-id"
xsi:type="Element" x="232" y="132" w="120" h="55">
              </node>
              <node identifier="node5" elementRef="CustomerSatisfaction-id" xsi:type="Element"
x="408" y="132" w="120" h="55">
                </node>
                <node identifier="node6" elementRef="ProductPortfolio-id" xsi:type="Element"
x="624" y="132" w="120" h="55">
                  </node>
                  <node identifier="node7" elementRef="Price-id" xsi:type="Element" x="816" y="132"
w="120" h="55">
                    </node>
                    <node identifier="node8" elementRef="Profitability-id" xsi:type="Element" x="232"
y="240" w="120" h="55">
                      </node>
                      <connection identifier="connection1" relationshipRef="rel1" xsi:type="Relationship"
source="node1" target="node3">
                        </connection>
                        <connection identifier="connection2" relationshipRef="rel2" xsi:type="Relationship"
source="node1" target="node4">
                          </connection>
                          <connection identifier="connection3" relationshipRef="rel3" xsi:type="Relationship"
source="node1" target="node5">
                            </connection>
                            <connection identifier="connection4" relationshipRef="rel4" xsi:type="Relationship"
source="node2" target="node5">
                              </connection>
                              <connection identifier="connection5" relationshipRef="rel5" xsi:type="Relationship"
source="node2" target="node6">
                                </connection>
                                <connection identifier="connection6" relationshipRef="rel6" xsi:type="Relationship"
source="node2" target="node7">
                                  </connection>
                                
```

```
    <connection identifier="connection7" relationshipRef="rel7" xsi:type="Relationship"
source="node4" target="node8">
    </connection>
  </view>
</diagrams>
</views>
</model>
```